

2018

35TH ANNUAL TOW-VEHICLE RATINGS

GUIDE TO TOWING

A Supplement to
TRAILER
LIFE



NEW TRUCKS AND SUVS FOR 2018

PLUS: HOW TO HITCH UP AND GO | TIPS TO TOW LIKE A PRO

SPONSORED BY



2018 TOW RATINGS

KEY TO CHARTS

VEHICLE			
Reg Cab	Regular Cab	PV	Passenger Van
Ext Cab	Extended Cab	SRW	Single Rear Wheel
CC	Crew Cab	DRW	Dual Rear Wheel
DC	Double Cab	AWD	All-Wheel Drive
SB	Shortbed	FWD	Front-Wheel Drive
Std Bed	Standard Bed	RWD	Rear-Wheel Drive
LB	Longbed	2WD	Two-Wheel Drive
CV	Cargo Van	4WD	Four-Wheel Drive
		SWB	Short Wheelbase
		LWB	Long Wheelbase
		EL	Extra Length
		LR	Low Roof
		MR	Medium Roof
		HR	High Roof
		EHR	Extra-High Roof

ENGINE		GEAR RATIO	
TD	Turbo Diesel	b	3.08:1
TC	Turbocharged	c	3.15:1
SC	Supercharged	d	3.21:1
		e	3.23:1
		f	3.31:1
		g	3.42:1
		h	3.55:1
		i	3.73:1
		j	3.92:1
		k	4.10:1
		l	4.30:1

a	Automatic Transmission	m6	Manual Transmission, 6 Speeds
a6	Automatic Transmission, 6 Speeds	p	Cooling or Other Accessory Package Required
a8	Automatic Transmission, 8 Speeds	t	Tow Package/Upgraded Tow Package Required
a9	Automatic Transmission, 9 Speeds		for Maximum Tow Capacity
a10	Automatic Transmission, 10 Speeds	/	Either/Or
m	Manual Transmission	,	More Than One Footnote Applies

VEHICLE	ENGINE	TOW LIMIT (lbs.)
ACURA		
MDX FWD	3.5L V-6	3,500 (t)
MDX SH AWD	3.5L V-6	3,500 (p,t)

AUDI		
Q5	2.0L I-4 TC	4,400 (t)
Q7	2.0L I-4 TC	4,400 (t)
Q7	3.0L V-6 SC	7,700 (t)

BMW		
X3	All	4,400
X4	All	3,500 (t)
X5	All	6,000 (t)
X6	All	6,000 (t)

FIAT CHRYSLER AUTOMOBILES		
CHRYSLER		
Chrysler Pacifica	3.6L V-6	3,600 (t)

DODGE		
Dodge Durango RWD/AWD	3.6L V-6	6,200 (t)
Dodge Durango RWD	5.7L V-8	7,400 (t)
Dodge Durango AWD	5.7L V-8	7,200 (t)

Dodge Durango AWD	6.4L V-8	8,600 (t)
Dodge Grand Caravan	3.6L V-6	3,600 (t)
Dodge Journey FWD/AWD	3.6L V-6	2,500 (t)*

*Hitch receiver not included in optional tow-prep package.

JEEP		
Cherokee FWD/4WD	All	2,000**
Cherokee FWD/4WD	2.4L I-4	2,000 (t)
Cherokee FWD/4WD	3.2L V-6	4,500 (t)
Compass 4WD	2.4L I-4	2,000 (t)
Grand Cherokee 2WD	3.6L V-6	6,200 (t)
Grand Cherokee 2WD	3.0L V-6 TD	7,400 (t)
Grand Cherokee 4WD	3.6L V-6	6,200 (t)*
Grand Cherokee 4WD	3.0L V-6 TD	7,200 (t)*
Grand Cherokee 4WD	5.7L V-8	7,200 (t)*
Grand Cherokee 4WD SRT	6.4L V-8	7,200 (t)
Grand Cherokee 4WD Trackhawk	6.2L V-8 SC	7,200 (t)
Renegade 4WD	2.4L I-4	2,000 (t)
Wrangler	3.6L V-6	2,000 (d,t)
Wrangler	3.6L V-6	3,500 (i,k,t)

*Tow package required for some models, standard on others. See dealer for details.

**All Cherokee models equipped with aftermarket Class II hitch.

RAM		
Ram 1500 Bed Lengths: Shortbed 5'7"/Standard 6'4"/Longbed 8'		

Ram 1500 Regular Cab Standard Bed

Ram 1500 Reg Cab Std Bed 2WD	3.6L V-6	4,970 (a8,d)
Ram 1500 Reg Cab Std Bed 2WD	3.6L V-6	7,260 (a8,h)
Ram 1500 Reg Cab Std Bed 2WD	5.7L V-8	7,170 (a6,d)
Ram 1500 Reg Cab Std Bed 2WD	5.7L V-8	9,220 (a6,h)
Ram 1500 Reg Cab Std Bed 2WD	5.7L V-8	9,150 (a6,j)
Ram 1500 Reg Cab Std Bed 2WD	5.7L V-8	8,610 (a8,d)
Ram 1500 Reg Cab Std Bed 2WD	5.7L V-8	9,160 (a8,j)
Ram 1500 Reg Cab Std Bed 2WD R/T	5.7L V-8	5,030 (a8,j)
Ram 1500 Reg Cab Std Bed 4WD	3.6L V-6	4,750 (a8,d)
Ram 1500 Reg Cab Std Bed 4WD	3.6L V-6	7,050 (a8,h)
Ram 1500 Reg Cab Std Bed 4WD	5.7L V-8	9,030 (a6,h)
Ram 1500 Reg Cab Std Bed 4WD	5.7L V-8	8,960 (a6,j)
Ram 1500 Reg Cab Std Bed 4WD	5.7L V-8	8,380 (a8,d)
Ram 1500 Reg Cab Std Bed 4WD	5.7L V-8	8,930 (a8,j)

Ram 1500 Regular Cab Longbed

Ram 1500 Reg Cab LB 2WD	3.6L V-6	4,770 (a8,d)
Ram 1500 Reg Cab LB 2WD	3.6L V-6	7,270 (a8,h)
Ram 1500 Reg Cab LB 2WD	5.7L V-8	7,040 (a6,d)
Ram 1500 Reg Cab LB 2WD	5.7L V-8	9,090 (a6,h)
Ram 1500 Reg Cab LB 2WD	5.7L V-8	10,640 (a6,j)
Ram 1500 Reg Cab LB 2WD	5.7L V-8	8,470 (a8,d)
Ram 1500 Reg Cab LB 2WD	5.7L V-8	10,620 (a8,j)
Ram 1500 Reg Cab LB 2WD	3.0L V-6 TD	8,240 (a8,h/j)
Ram 1500 Reg Cab LB 2WD	3.0L V-6 TD	9,210 (a8,j)*
Ram 1500 Reg Cab LB 4WD	3.6L V-6	4,580 (a8,d)
Ram 1500 Reg Cab LB 4WD	3.6L V-6	7,080 (a8,h)
Ram 1500 Reg Cab LB 4WD	5.7L V-8	8,860 (a6,h)
Ram 1500 Reg Cab LB 4WD	5.7L V-8	10,410 (a6,j)
Ram 1500 Reg Cab LB 4WD	5.7L V-8	8,260 (a8,d)
Ram 1500 Reg Cab LB 4WD	5.7L V-8	10,410 (a8,j)
Ram 1500 Reg Cab LB 4WD	3.0L V-6 TD	8,030 (a8,h/j)
Ram 1500 Reg Cab LB 4WD	3.0L V-6 TD	9,030 (a8,j)*

*GCWR 14,750 lbs.

Ram 1500 Quad Cab

Ram 1500 Quad Cab 2WD	3.6L V-6	4,610 (a8,d)
Ram 1500 Quad Cab 2WD	3.6L V-6	7,600 (a8,h)
Ram 1500 Quad Cab 2WD	5.7L V-8	6,820 (a6,d)
Ram 1500 Quad Cab 2WD	5.7L V-8	8,870 (a6,h)
Ram 1500 Quad Cab 2WD	5.7L V-8	10,420 (a6,j)
Ram 1500 Quad Cab 2WD	5.7L V-8	8,190 (a8,d)
Ram 1500 Quad Cab 2WD	5.7L V-8	10,340 (a8,j)
Ram 1500 Quad Cab 2WD	3.0L V-6 TD	7,960 (a8,h/j)
Ram 1500 Quad Cab 2WD	3.0L V-6 TD	8,960 (a8,j)*
Ram 1500 Quad Cab 2WD HFE	3.0L V-6 TD	7,920 (a8,h)
Ram 1500 Quad Cab 4WD	3.6L V-6	4,430 (a8,d)
Ram 1500 Quad Cab 4WD	3.6L V-6	7,420 (a8,h)
Ram 1500 Quad Cab 4WD	5.7L V-8	8,670 (a6,h)
Ram 1500 Quad Cab 4WD	5.7L V-8	10,220 (a6,j)
Ram 1500 Quad Cab 4WD	5.7L V-8	8,000 (a8,d)
Ram 1500 Quad Cab 4WD	5.7L V-8	10,150 (a8,j)

Ram 1500 Quad Cab 4WD	3.0L V-6 TD	7,650 (a8,h/j)
Ram 1500 Quad Cab 4WD	3.0L V-6 TD	8,650 (a8,j)*

*GCWR 14,750 lbs.

Ram 1500 Crew Cab Shortbed

Ram 1500 CC SB 2WD	3.6L V-6	4,510 (a8,d)
Ram 1500 CC SB 2WD	3.6L V-6	7,510 (a8,h)
Ram 1500 CC SB 2WD	5.7L V-8	6,730 (a6,d)
Ram 1500 CC SB 2WD	5.7L V-8	8,780 (a6,h)
Ram 1500 CC SB 2WD	5.7L V-8	10,330 (a6,j)
Ram 1500 CC SB 2WD	5.7L V-8	8,070 (a8,d)
Ram 1500 CC SB 2WD	5.7L V-8	10,220 (a8,j)
Ram 1500 CC SB 2WD	3.0L V-6 TD	7,860 (a8,h/j)
Ram 1500 CC SB 2WD	3.0L V-6 TD	8,860 (a8,j)*
Ram 1500 CC SB 4WD	3.6L V-6	4,210 (a8,d)
Ram 1500 CC SB 4WD	3.6L V-6	7,210 (a8,h/j)
Ram 1500 CC SB 4WD	5.7L V-8	8,610 (a6,h)
Ram 1500 CC SB 4WD	5.7L V-8	10,160 (a6,j)
Ram 1500 CC SB 4WD	5.7L V-8	7,990 (a8,d)
Ram 1500 CC SB 4WD	5.7L V-8	10,140 (a8,j)
Ram 1500 CC SB 4WD	3.0L V-6 TD	7,580 (a8,h/j)
Ram 1500 CC SB 4WD	3.0L V-6 TD	8,580 (a8,j)*

*GCWR 14,750 lbs.

Ram 1500 Crew Cab Standard Bed

Ram 1500 CC 2WD	5.7L V-8	6,710 (a6,d)
Ram 1500 CC 2WD	5.7L V-8	8,760 (a6,h)
Ram 1500 CC 2WD	5.7L V-8	10,310 (a6,j)
Ram 1500 CC 2WD	5.7L V-8	8,050 (a8,d)
Ram 1500 CC 2WD	5.7L V-8	10,200 (a8,j)
Ram 1500 CC 4WD	5.7L V-8	8,530 (a6,h)
Ram 1500 CC 4WD	5.7L V-8	10,080 (a6,j)
Ram 1500 CC 4WD	5.7L V-8	7,780 (a8,d)
Ram 1500 CC 4WD	5.7L V-8	9,830 (a8,j)
Ram 1500 CC 4WD	3.0L V-6 TD	7,540 (a8,h/j)
Ram 1500 CC 4WD	3.0L V-6 TD	8,340 (a8,j)*

*GCWR 14,550 lbs.

Ram 2500/3500 Bed Lengths: Shortbed 6'4"/Longbed 8'

Ram 2500 Regular Cab Longbed

Ram 2500 Reg Cab LB 2WD	5.7L V-8	11,890 (a6,i)
Ram 2500 Reg Cab LB 2WD	5.7L V-8	13,890 (a6,k)
Ram 2500 Reg Cab LB 2WD	6.4L V-8	13,320 (a6,i)
Ram 2500 Reg Cab LB 2WD	6.4L V-8	16,320 (a6,k)
Ram 2500 Reg Cab LB 2WD	6.7L I-6 TD	16,890 (m6,g)
Ram 2500 Reg Cab LB 2WD	6.7L I-6 TD	17,980 (a6,g)
Ram 2500 Reg Cab LB 4WD	5.7L V-8	11,510 (a6,i)
Ram 2500 Reg Cab LB 4WD	5.7L V-8	13,510 (a6,k)
Ram 2500 Reg Cab LB 4WD	6.4L V-8	12,930 (a6,i)
Ram 2500 Reg Cab LB 4WD	6.4L V-8	15,930 (a6,k)
Ram 2500 Reg Cab LB 4WD	6.7L I-6 TD	16,450 (m6,g)
Ram 2500 Reg Cab LB 4WD	6.7L I-6 TD	17,540 (a6,g)

Ram 2500 Crew Cab Shortbed

Ram 2500 CC SB 2WD	5.7L V-8	11,520 (a6,i)
Ram 2500 CC SB 2WD	5.7L V-8	13,520 (a6,k)
Ram 2500 CC SB 2WD	6.4L V-8	12,940 (a6,i)
Ram 2500 CC SB 2WD	6.4L V-8	15,940 (a6,k)
Ram 2500 CC SB 2WD	6.7L I-6 TD	16,450 (m6,g)
Ram 2500 CC SB 2WD	6.7L I-6 TD	17,510 (a6,g)
Ram 2500 CC SB 4WD	5.7L V-8	11,200 (a6,i)
Ram 2500 CC SB 4WD	5.7L V-8	13,190 (a6,k)
Ram 2500 CC SB 4WD	6.4L V-8	12,630 (a6,i)
Ram 2500 CC SB 4WD	6.4L V-8	15,630 (a6,k)
Ram 2500 CC SB 4WD	6.7L I-6 TD	16,130 (m6,g)
Ram 2500 CC SB 4WD	6.7L I-6 TD	17,200 (a6,g)
Ram 2500 CC SB 4WD, Power Wagon	6.4L V-8	10,030 (a6,k)

Ram 2500 Crew Cab Longbed

Ram 2500 CC LB 2WD	5.7L V-8	11,390 (a6,i)
Ram 2500 CC LB 2WD	5.7L V-8	13,390 (a6,k)
Ram 2500 CC LB 2WD	6.4L V-8	12,810 (a6,i)
Ram 2500 CC LB 2WD	6.4L V-8	15,810 (a6,k)
Ram 2500 CC LB 2WD	6.7L I-6 TD	16,300 (m6,g)
Ram 2500 CC LB 2WD	6.7L I-6 TD	17,370 (a6,g)
Ram 2500 CC LB 4WD	5.7L V-8	11,030 (a6,i)
Ram 2500 CC LB 4WD	5.7L V-8	13,020 (a6,k)
Ram 2500 CC LB 4WD	6.4L V-8	12,460 (a6,i)
Ram 2500 CC LB 4WD	6.4L V-8	15,460 (a6,k)
Ram 2500 CC LB 4WD	6.7L I-6 TD	15,950 (m6,g)
Ram 2500 CC LB 4WD	6.7L I-6 TD	17,020 (a6,g)

Ram 2500 Mega Cab

Ram 2500 Mega Cab 2WD	5.7L V-8	11,040 (a6,i)
Ram 2500 Mega Cab 2WD	5.7L V-8	13,040 (a6,k)
Ram 2500 Mega Cab 2WD	6.4L V-8	12,520 (a6,i)
Ram 2500 Mega Cab 2WD	6.4L V-8	15,520 (a6,k)
Ram 2500 Mega Cab 2WD	6.7L I-6 TD	16,100 (m6,g)
Ram 2500 Mega Cab 2WD	6.7L I-6 TD	17,170 (a6,g)
Ram 2500 Mega Cab 4WD	5.7L V-8	10,780 (a6,i)
Ram 2500 Mega Cab 4WD	5.7L V-8	12,780 (a6,k)
Ram 2500 Mega Cab 4WD	6.4L V-8	12,240 (a6,i)
Ram 2500 Mega Cab 4WD	6.4L V-8	15,240 (a6,k)
Ram 2500 Mega Cab 4WD	6.7L I-6 TD	14,770 (m6,g)
Ram 2500 Mega Cab 4WD	6.7L I-6 TD	15,440 (a6,g)

Ram 3500 Regular Cab Longbed

Ram 3500 Reg Cab LB SRW 2WD	5.7L V-8	11,910 (a6,i)
Ram 3500 Reg Cab LB SRW 2WD	5.7L V-8	13,910 (a6,k)
Ram 3500 Reg Cab LB SRW 2WD	6.4L V-8	13,370 (a6,i)
Ram 3500 Reg Cab LB SRW 2WD	6.4L V-8	16,370 (a6,k)
Ram 3500 Reg Cab LB SRW 2WD	6.7L I-6 TD	16,870 (m6,g)
Ram 3500 Reg Cab LB SRW 2WD	6.7L I-6 TD	17,910 (a6,g)
Ram 3500 Reg Cab LB SRW 2WD	6.7L I-6 TD	17,770 (a6,g)*
Ram 3500 Reg Cab LB SRW 4WD	5.7L V-8	11,560 (a6,i)
Ram 3500 Reg Cab LB SRW 4WD	5.7L V-8	13,560 (a6,k)

Ram 3500 Reg Cab LB SRW 4WD	6.4L V-8	12,970 (a6,i)
Ram 3500 Reg Cab LB SRW 4WD	6.4L V-8	15,970 (a6,k)
Ram 3500 Reg Cab LB SRW 4WD	6.7L I-6 TD	16,520 (m6,g)
Ram 3500 Reg Cab LB SRW 4WD	6.7L I-6 TD	17,560 (a6,g)
Ram 3500 Reg Cab LB SRW 4WD	6.7L I-6 TD	17,420 (a6,g)*
Ram 3500 Reg Cab LB DRW 2WD	6.4L V-8	13,020 (a6,i)
Ram 3500 Reg Cab LB DRW 2WD	6.7L I-6 TD	16,510 (m6,g)
Ram 3500 Reg Cab LB DRW 2WD	6.7L I-6 TD	18,510 (m6,i)
Ram 3500 Reg Cab LB DRW 2WD	6.7L I-6 TD	17,550 (a6,g)
Ram 3500 Reg Cab LB DRW 2WD	6.7L I-6 TD	19,550 (a6,i)
Ram 3500 Reg Cab LB DRW 2WD	6.7L I-6 TD	22,550 (a6,k)
Ram 3500 Reg Cab LB DRW 2WD	6.7L I-6 TD	21,410 (a6,g)*
Ram 3500 Reg Cab LB DRW 2WD	6.7L I-6 TD	25,910 (a6,i)*
Ram 3500 Reg Cab LB DRW 2WD	6.7L I-6 TD	31,210 (a6,k)*
Ram 3500 Reg Cab LB DRW 4WD	6.4L V-8	12,640 (a6,i)
Ram 3500 Reg Cab LB DRW 4WD	6.4L V-8	16,140 (a6,k)
Ram 3500 Reg Cab LB DRW 4WD	6.7L I-6 TD	16,130 (m6,g)
Ram 3500 Reg Cab LB DRW 4WD	6.7L I-6 TD	18,130 (m6,i)
Ram 3500 Reg Cab LB DRW 4WD	6.7L I-6 TD	17,180 (a6,g)
Ram 3500 Reg Cab LB DRW 4WD	6.7L I-6 TD	19,180 (a6,i)
Ram 3500 Reg Cab LB DRW 4WD	6.7L I-6 TD	22,180 (a6,k)
Ram 3500 Reg Cab LB DRW 4WD	6.7L I-6 TD	21,030 (a6,g)*
Ram 3500 Reg Cab LB DRW 4WD	6.7L I-6 TD	25,530 (a6,i)*
Ram 3500 Reg Cab LB DRW 4WD	6.7L I-6 TD	30,830 (a6,k)*

Ram 3500 Crew Cab Shortbed

Ram 3500 CC SB SRW 2WD	5.7L V-8	11,520 (a6,i)
Ram 3500 CC SB SRW 2WD	5.7L V-8	13,520 (a6,k)
Ram 3500 CC SB SRW 2WD	6.4L V-8	12,970 (a6,i)
Ram 3500 CC SB SRW 2WD	6.4L V-8	15,970 (a6,k)
Ram 3500 CC SB SRW 2WD	6.7L I-6 TD	16,450 (m6,g)
Ram 3500 CC SB SRW 2WD	6.7L I-6 TD	17,490 (a6,g)
Ram 3500 CC SB SRW 2WD	6.7L I-6 TD	17,350 (a6,g)*
Ram 3500 CC SB SRW 4WD	5.7L V-8	11,200 (a6,i)
Ram 3500 CC SB SRW 4WD	5.7L V-8	13,200 (a6,k)
Ram 3500 CC SB SRW 4WD	6.4L V-8	12,640 (a6,i)
Ram 3500 CC SB SRW 4WD	6.4L V-8	15,640 (a6,k)
Ram 3500 CC SB SRW 4WD	6.7L I-6 TD	16,160 (m6,g)
Ram 3500 CC SB SRW 4WD	6.7L I-6 TD	17,200 (a6,g)
Ram 3500 CC SB SRW 4WD	6.7L I-6 TD	17,050 (a6,g)*

Ram 3500 Crew Cab Longbed

Ram 3500 CC LB SRW 2WD	5.7L V-8	11,410 (a6,i)
Ram 3500 CC LB SRW 2WD	5.7L V-8	13,410 (a6,k)
Ram 3500 CC LB SRW 2WD	6.4L V-8	12,830 (a6,i)
Ram 3500 CC LB SRW 2WD	6.4L V-8	15,830 (a6,k)
Ram 3500 CC LB SRW 2WD	6.7L I-6 TD	16,320 (m6,g)
Ram 3500 CC LB SRW 2WD	6.7L I-6 TD	17,360 (a6,g)
Ram 3500 CC LB SRW 2WD	6.7L I-6 TD	17,210 (a6,g)*
Ram 3500 CC LB SRW 4WD	5.7L V-8	11,020 (a6,i)
Ram 3500 CC LB SRW 4WD	5.7L V-8	13,020 (a6,k)
Ram 3500 CC LB SRW 4WD	6.4L V-8	12,470 (a6,i)
Ram 3500 CC LB SRW 4WD	6.4L V-8	15,470 (a6,k)
Ram 3500 CC LB SRW 4WD	6.7L I-6 TD	15,960 (m6,g)

2018 TOW RATINGS

Ram 3500 CC LB SRW 4WD	6.7L I-6 TD	17,010 (a6,g)
Ram 3500 CC LB SRW 4WD	6.7L I-6 TD	16,860 (a6,g)*
Ram 3500 CC LB DRW 2WD	6.4L V-8	12,450 (a6,i)
Ram 3500 CC LB DRW 2WD	6.4L V-8	15,950 (a6,k)
Ram 3500 CC LB DRW 2WD	6.7L I-6 TD	15,960 (m6,g)
Ram 3500 CC LB DRW 2WD	6.7L I-6 TD	17,960 (m6,i)
Ram 3500 CC LB DRW 2WD	6.7L I-6 TD	17,000 (a6,g)
Ram 3500 CC LB DRW 2WD	6.7L I-6 TD	19,000 (a6,i)
Ram 3500 CC LB DRW 2WD	6.7L I-6 TD	22,000 (a6,k)
Ram 3500 CC LB DRW 2WD	6.7L I-6 TD	20,860 (a6,g)*
Ram 3500 CC LB DRW 2WD	6.7L I-6 TD	25,360 (a6,i)*
Ram 3500 CC LB DRW 2WD	6.7L I-6 TD	30,660 (a6,k)*
Ram 3500 CC LB DRW 4WD	6.4L V-8	12,100 (a6,i)
Ram 3500 CC LB DRW 4WD	6.4L V-8	15,600 (a6,k)
Ram 3500 CC LB DRW 4WD	6.7L I-6 TD	15,620 (m6,g)
Ram 3500 CC LB DRW 4WD	6.7L I-6 TD	17,620 (m6,i)
Ram 3500 CC LB DRW 4WD	6.7L I-6 TD	16,660 (a6,g)
Ram 3500 CC LB DRW 4WD	6.7L I-6 TD	18,660 (a6,i)
Ram 3500 CC LB DRW 4WD	6.7L I-6 TD	21,660 (a6,k)
Ram 3500 CC LB DRW 4WD	6.7L I-6 TD	20,520 (a6,g)*
Ram 3500 CC LB DRW 4WD	6.7L I-6 TD	25,020 (a6,i)*
Ram 3500 CC LB DRW 4WD	6.7L I-6 TD	30,320 (a6,k)*

Ram 3500 Mega Cab

Ram 3500 Mega Cab SRW 2WD	5.7L V-8	11,210 (a6,i)
Ram 3500 Mega Cab SRW 2WD	5.7L V-8	13,210 (a6,k)
Ram 3500 Mega Cab SRW 2WD	6.4L V-8	12,650 (a6,i)
Ram 3500 Mega Cab SRW 2WD	6.4L V-8	15,650 (a6,k)
Ram 3500 Mega Cab SRW 2WD	6.7L I-6 TD	16,100 (m6,g)
Ram 3500 Mega Cab SRW 2WD	6.7L I-6 TD	17,140 (a6,g)
Ram 3500 Mega Cab SRW 2WD	6.7L I-6 TD	16,990 (a6,g)*
Ram 3500 Mega Cab SRW 4WD	5.7L V-8	10,880 (a6,i)
Ram 3500 Mega Cab SRW 4WD	5.7L V-8	12,880 (a6,k)
Ram 3500 Mega Cab SRW 4WD	6.4L V-8	12,320 (a6,i)
Ram 3500 Mega Cab SRW 4WD	6.4L V-8	15,320 (a6,k)
Ram 3500 Mega Cab SRW 4WD	6.7L I-6 TD	15,710 (m6,g)
Ram 3500 Mega Cab SRW 4WD	6.7L I-6 TD	16,750 (a6,g)
Ram 3500 Mega Cab SRW 4WD	6.7L I-6 TD	16,600 (a6,g)*
Ram 3500 Mega Cab DRW 2WD	6.4L V-8	12,200 (a6,i)
Ram 3500 Mega Cab DRW 2WD	6.4L V-8	15,700 (a6,k)
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	15,710 (m6,g)
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	17,710 (m6,i)
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	16,750 (a6,g)
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	18,750 (a6,i)
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	21,750 (a6,k)
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	20,600 (a6,g)*
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	25,100 (a6,i)*
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	30,400 (a6,k)*
Ram 3500 Mega Cab DRW 4WD	6.4L V-8	11,970 (a6,i)
Ram 3500 Mega Cab DRW 4WD	6.4L V-8	15,470 (a6,k)
Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	15,400 (m6,g)
Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	17,400 (m6,i)
Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	16,440 (a6,g)

Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	18,440 (a6,i)
Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	21,440 (a6,k)
Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	20,300 (a6,g)*
Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	24,800 (a6,i)*
Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	30,100 (a6,k)*

*HO Cummins

FORD MOTOR COMPANY

EDGE, ESCAPE, EXPLORER, EXPEDITION, FLEX, FUSION, TRANSIT CONNECT

Edge FWD/AWD	2.0L I-4 TC	3,500 (t)
Edge AWD	2.7L V-6 TC	2,000 (t)**
Edge FWD/AWD	3.5L V-6	3,500 (t)
Escape FWD/4WD	1.5L I-4 TC	2,000 (t)
Escape FWD/4WD	2.0L I-4 TC	3,500 (t)
Explorer FWD	2.3L I-4 TC	2,000(t)***
Explorer FWD/4WD	2.3L I-4 TC	3,000 (t)
Explorer FWD/4WD	3.5L V-6	2,000(t)***
Explorer FWD/4WD	3.5L V-6	5,000 (t)*
Explorer FWD/4WD	3.5L V-6 TC	5,000 (t)*
Expedition 2WD	3.5L V-6 TC	6,100 (c,f)*
Expedition 2WD	3.5L V-6 TC	9,300 (i,t)*
Expedition 4WD	3.5L V-6 TC	5,900 (f)*#
Expedition 4WD	3.5L V-6 TC	6,100 (f)*##
Expedition 4WD	3.5L V-6 TC	9,300 (i,t)*
Expedition Max 2WD	3.5L V-6 TC	6,300 (f)*
Expedition Max 2WD	3.5L V-6 TC	9,000 (i,t)*
Expedition Max 4WD	3.5L V-6 TC	6,000 (f)*
Expedition Max 4WD	3.5L V-6 TC	9,000 (i,t)*
Flex FWD/AWD	3.5L V-6	4,500 (t)****
Flex AWD	3.5L V-6 TC	4,500 (t)
Fusion FWD/AWD	2.0L I-4 TC	2,000 (a,t)***
Transit Connect Van/Wagon	2.5L I-4	2,000 (a,t)

*Maximum loaded trailer weight requires weight-distributing hitch.

**Factory- or dealer-installed towing equipment not offered for this application.

***Factory-installed towing equipment not offered for this application; available only as aftermarket accessory. Fusion Hybrid and Energi not rated to tow a trailer.

****Requires weight-distributing hitch on FWD models.

#6CWR 12,100 lbs.

##6CWR 12,300 lbs.

F-150 CONVENTIONAL/FIFTH-WHEEL TOWING

Ford F-150 Bed Lengths: Shortbed 5.5'/Standard 6.5'/Longbed 8'

F-150 Regular Cab

F-150 Reg Cab SB 2WD	3.3L V-6	5,100/4,900 (h,t)
F-150 Reg Cab SB 2WD	3.3L V-6	7,700/7,500 (l,t)
F-150 Reg Cab SB 2WD	2.7L V-6 TC	7,600/7,500 (c/f,t)
F-150 Reg Cab SB 2WD	2.7L V-6 TC	8,500/8,400 (i,t)
F-150 Reg Cab SB 2WD	5.0L V-8	8,300/8,200 (c/f,t)
F-150 Reg Cab SB 2WD	5.0L V-8	9,100/9,000 (h,t)
F-150 Reg Cab SB 4WD	3.3L V-6	5,000/4,900 (h,t)
F-150 Reg Cab SB 4WD	3.3L V-6	7,500/7,400 (i,t)
F-150 Reg Cab SB 4WD	2.7L V-6 TC	7,600/7,500 (h,t)
F-150 Reg Cab SB 4WD	2.7L V-6 TC	8,400/8,300 (i,t)
F-150 Reg Cab SB 4WD	5.0L V-8	8,300/8,200 (f/h,t)

F-150 Reg Cab SB 4WD	5.0L V-8	9,700/9,300 (i,t)
F-150 Reg Cab LB 2WD	3.3L V-6	5,000/4,900 (h,t)
F-150 Reg Cab LB 2WD	3.3L V-6	7,600/7,500 (i,t)
F-150 Reg Cab LB 2WD	2.7L V-6 TC	7,600/7,500 (c/f,t)
F-150 Reg Cab LB 2WD	2.7L V-6 TC	8,500/8,400 (i,t)
F-150 Reg Cab LB 2WD	2.7L V-6 TC	8,500/8,400 (i,p,t)**
F-150 Reg Cab LB 2WD	5.0L V-8	9,100/9,000 (c/f,t)
F-150 Reg Cab LB 2WD	5.0L V-8	10,100/10,000 (h,t)
F-150 Reg Cab LB 2WD	5.0L V-8	11,100/11,000 (i,p,t)*
F-150 Reg Cab LB 2WD	3.5L V-6 TC	10,700/10,600 (c/h,t)
F-150 Reg Cab LB 2WD	3.5L V-6 TC	12,100/12,100 (h,t)
F-150 Reg Cab LB 2WD	3.5L V-6 TC	12,100/12,000 (i,p,t)*
F-150 Reg Cab LB 4WD	3.3L V-6	7,400/7,300 (i,t)
F-150 Reg Cab LB 4WD	2.7L V-6 TC	7,600/7,500 (h,t)
F-150 Reg Cab LB 4WD	2.7L V-6 TC	8,300/8,200 (i,t)
F-150 Reg Cab LB 4WD	2.7L V-6 TC	9,000/8,900 (i,p,t)
F-150 Reg Cab LB 4WD	5.0L V-8	9,100/9,000 (f/h,t)
F-150 Reg Cab LB 4WD	5.0L V-8	11,100/11,000 (i,t)
F-150 Reg Cab LB 4WD	5.0L V-8	11,000/10,900 (i,p,t)*
F-150 Reg Cab LB 4WD	3.5L V-6 TC	10,700/10,600 (f/h,t)
F-150 Reg Cab LB 4WD	3.5L V-6 TC	12,000/11,900 (h,t)
F-150 Reg Cab LB 4WD	3.5L V-6 TC	11,900/11,800 (i,p,t)*

*Includes 17- and/or 18" wheels/tires. Higher of the two ratings shown, where applicable.

**GCWR 13,300 lbs.

F-150 SuperCab

F-150 SuperCab Std Bed 2WD	3.3L V-6	5,000/4,900 (h,t)
F-150 SuperCab Std Bed 2WD	3.3L V-6	7,400/7,300 (i,t)
F-150 SuperCab Std Bed 2WD	2.7L V-6 TC	7,700/7,600 (c/f,t)
F-150 SuperCab Std Bed 2WD	2.7L V-6 TC	8,400/8,200 (i,t)
F-150 SuperCab Std Bed 2WD	2.7L V-6 TC	8,300/8,200 (i,p,t)
F-150 SuperCab Std Bed 2WD	5.0L V-8	9,200/9,100 (c/f,t)
F-150 SuperCab Std Bed 2WD	5.0L V-8	10,200/10,100 (h,t)
F-150 SuperCab Std Bed 2WD	3.5L V-6 TC	10,700/10,600 (c/h,t)
F-150 SuperCab Std Bed 2WD	3.5L V-6 TC	12,000/10,800 (h,t)
F-150 SuperCab Std Bed 4WD	3.3L V-6	7,400/7,300 (i,t)
F-150 SuperCab Std Bed 4WD	2.7L V-6 TC	7,600/7,400 (h,t)
F-150 SuperCab Std Bed 4WD	2.7L V-6 TC	8,100/7,900 (i,t)
F-150 SuperCab Std Bed 4WD	2.7L V-6 TC	9,000/8,900 (i,p,t)
F-150 SuperCab Std Bed 4WD	5.0L V-8	9,100/9,000 (f/h,t)
F-150 SuperCab Std Bed 4WD	5.0L V-8	11,300/11,000 (i,t)
F-150 SuperCab Std Bed 4WD	3.5L V-6 TC	10,700/10,600 (f/h,t)
F-150 SuperCab Std Bed 4WD	3.5L V-6 TC	11,800/10,700 (h,t)
F-150 SuperCab Std Bed 4WD Raptor	3.5L V-6 TC	6,000 (K)
F-150 SuperCab LB 2WD	2.7L V-6 TC	7,500/7,400 (c/f,t)
F-150 SuperCab LB 2WD	2.7L V-6 TC	8,200/7,900 (i,t)
F-150 SuperCab LB 2WD	2.7L V-6 TC	9,000/8,900 (i,p,t)
F-150 SuperCab LB 2WD	5.0L V-8	9,200/9,100 (c/f,t)
F-150 SuperCab LB 2WD	5.0L V-8	10,200/10,100 (h,t)
F-150 SuperCab LB 2WD	5.0L V-8	11,000/10,900 (i,p,t)*
F-150 SuperCab LB 2WD	3.5L V-6 TC	10,700/10,600 (c/h,t)
F-150 SuperCab LB 2WD	3.5L V-6 TC	11,900/11,800 (h,t)
F-150 SuperCab LB 2WD	3.5L V-6 TC	11,800/11,700 (i,p,t)*

F-150 SuperCab LB 4WD	5.0L V-8	9,000/8,900 (f,t)
F-150 SuperCab LB 4WD	5.0L V-8	9,100/9,000 (h,t)
F-150 SuperCab LB 4WD	5.0L V-8	10,700/10,600 (i,p,t)*
F-150 SuperCab LB 4WD	5.0L V-8	11,200/10,200 (i,t)
F-150 SuperCab LB 4WD	3.5L V-6 TC	10,700/10,100 (f/h,t)
F-150 SuperCab LB 4WD	3.5L V-6 TC	11,600/10,100 (h,t)
F-150 SuperCab LB 4WD	3.5L V-6 TC	11,600/11,500 (i,p,t)*

F-150 SuperCrew

F-150 SuperCrew SB 2WD	3.3L V-6	5,000/4,900 (h,t)
F-150 SuperCrew SB 2WD	3.3L V-6	7,400/7,300 (i,t)
F-150 SuperCrew SB 2WD	2.7L V-6 TC	7,700/7,600 (c/f,t)
F-150 SuperCrew SB 2WD	2.7L V-6 TC	8,300/7,700 (i,t)
F-150 SuperCrew SB 2WD	2.7L V-6 TC	8,200/8,100 (i,p,t)
F-150 SuperCrew SB 2WD	5.0L V-8	9,100/9,000 (c/f,t)
F-150 SuperCrew SB 2WD	5.0L V-8	10,100/10,000 (h,t)
F-150 SuperCrew SB 2WD	3.5L V-6 TC	10,600/10,200 (c,t)
F-150 SuperCrew SB 2WD	3.5L V-6 TC	12,700/10,200 (h,t)**
F-150 SuperCrew SB 2WD Limited	3.5L V-6 TC	10,400/8,300 (c,t)
F-150 SuperCrew SB 2WD Limited	3.5L V-6 TC	11,200/8,300 (h,t)
F-150 SuperCrew SB 4WD	3.3L V-6	7,400/7,300 (i,t)
F-150 SuperCrew SB 4WD	2.7L V-6 TC	7,600/7,500 (h,t)
F-150 SuperCrew SB 4WD	2.7L V-6 TC	8,000/7,500 (i,t)
F-150 SuperCrew SB 4WD	2.7L V-6 TC	9,000/8,900 (i,p,t)
F-150 SuperCrew SB 4WD	5.0L V-8	9,000/8,900 (f,t)
F-150 SuperCrew SB 4WD	5.0L V-8	9,100/9,000 (h,t)
F-150 SuperCrew SB 4WD	5.0L V-8	10,900/10,600 (i,t)
F-150 SuperCrew SB 4WD	3.5L V-6 TC	10,700/10,200 (f/h,t)
F-150 SuperCrew SB 4WD	3.5L V-6 TC	12,700/10,200 (h,t)**
F-150 SuperCrew SB 4WD Limited	3.5L V-6 TC	10,400/6,500 (f,t)
F-150 SuperCrew SB 4WD Limited	3.5L V-6 TC	10,900/6,500 (h,t)
F-150 SuperCrew SB 4WD Raptor	3.5L V-6 TC	8,000 (k)
F-150 SuperCrew Std Bed 2WD	2.7L V-6 TC	7,600/7,500 (c/f,t)
F-150 SuperCrew Std Bed 2WD	2.7L V-6 TC	8,200/8,100 (i,t)
F-150 SuperCrew Std Bed 2WD	2.7L V-6 TC	9,000/8,900 (i,p,t)
F-150 SuperCrew Std Bed 2WD	5.0L V-8	9,100/9,000 (c/f,t)
F-150 SuperCrew Std Bed 2WD	5.0L V-8	10,100/10,000 (h,t)
F-150 SuperCrew Std Bed 2WD	5.0L V-8	10,900/10,800 (i,p,t)*
F-150 SuperCrew Std Bed 2WD	3.5L V-6 TC	10,700/10,600 (c/h,t)
F-150 SuperCrew Std Bed 2WD	3.5L V-6 TC	13,200/11,500 (h,t)**
F-150 SuperCrew Std Bed 2WD	3.5L V-6 TC	11,800/11,700 (i,p,t)*
F-150 SuperCrew Std Bed 4WD	5.0L V-8	9,100/8,900 (f,t)
F-150 SuperCrew Std Bed 4WD	5.0L V-8	9,100/9,000 (h,t)
F-150 SuperCrew Std Bed 4WD	5.0L V-8	10,600/10,500 (i,p,t)*
F-150 SuperCrew Std Bed 4WD	5.0L V-8	11,600/10,700 (i,t)
F-150 SuperCrew Std Bed 4WD	3.5L V-6 TC	10,700/10,300 (f/h,t)
F-150 SuperCrew Std Bed 4WD	3.5L V-6 TC	13,000/10,300 (h,t)**
F-150 SuperCrew Std Bed 4WD	3.5L V-6 TC	11,500/11,400 (i,p,t)*

*Includes 17- and/or 18" wheels/tires. Higher of the two ratings shown, where applicable.

**Requires 20" tires and wheels

SuperCrew shortbed trucks will accept a fifth-wheel hitch, but current fifth-wheel designs are not compatible with this model. Fifth-wheel towing requires trailer tow package or max trailer tow package. F-150 ratings may vary slightly depending on wheel and tire package, GCWR and other factors. Certain powertrain/axle combinations may not be available in all states. Consult Ford's 2018 *RV & Trailer Towing Guide* or dealer for details.

F-250 SRW CONVENTIONAL TOWING

WEIGHT-CARRYING/WEIGHT-DISTRIBUTING

Ford F-250/F-350/F-450 Bed Lengths: Shortbed 6.75'/Longbed 8'

F-250 Regular Cab

F-250 Reg Cab LB 2WD	6.2L V-8	13,000/13,300 (i)
F-250 Reg Cab LB 2WD	6.2L V-8	13,000/14,000 (i)
F-250 Reg Cab LB 2WD	6.7L V-8 TD	14,000/15,000 (f/h)*
F-250 Reg Cab LB 4WD	6.2L V-8	12,900 (i)
F-250 Reg Cab LB 4WD	6.2L V-8	15,000 (i)
F-250 Reg Cab LB 4WD	6.7L V-8 TD	14,000/15,000 (f/h)*

F-250 SuperCab

F-250 SuperCab SB 2WD	6.2L V-8	13,000 (i)
F-250 SuperCab SB 2WD	6.2L V-8	13,000/14,000 (i)
F-250 SuperCab SB 2WD	6.7L V-8 TD	14,000/15,000 (f/h)*
F-250 SuperCab SB 4WD	6.2L V-8	12,600 (i)
F-250 SuperCab SB 4WD	6.2L V-8	15,000 (i)
F-250 SuperCab SB 4WD	6.7L V-8 TD	14,000/14,800 (f/h) ⁵
F-250 SuperCab SB 4WD	6.7L V-8 TD	14,000/15,000 (f/h)*
F-250 SuperCab LB 2WD	6.2L V-8	12,900 (i)
F-250 SuperCab LB 2WD	6.2L V-8	14,000/15,000 (i)
F-250 SuperCab LB 2WD	6.7L V-8 TD	15,000 (f/h)*
F-250 SuperCab LB 4WD	6.2L V-8	12,500 (i)
F-250 SuperCab LB 4WD	6.2L V-8	15,000 (i)
F-250 SuperCab LB 4WD	6.7L V-8 TD	14,200 (f/h) ⁴
F-250 SuperCab LB 4WD	6.7L V-8 TD	14,900 (f/h) ⁶
F-250 SuperCab LB 4WD	6.7L V-8 TD	15,000 (f/h,t) ⁷

F-250 Crew Cab

F-250 CC SB 2WD	6.2L V-8	12,900 (i)
F-250 CC SB 2WD	6.2L V-8	14,000/15,000 (i)
F-250 CC SB 2WD	6.7L V-8 TD	15,000 (f/h)*
F-250 CC SB 4WD	6.2L V-8	12,500 (i)
F-250 CC SB 4WD	6.2L V-8	15,000 (i)
F-250 CC SB 4WD	6.7L V-8 TD	14,100 (f/h) ³
F-250 CC SB 4WD	6.7L V-8 TD	14,700 (f/h) ⁵
F-250 CC SB 4WD	6.7L V-8 TD	15,000 (f/h,t) ⁸
F-250 CC LB 2WD	6.2L V-8	12,700 (i)
F-250 CC LB 2WD	6.2L V-8	14,000/15,000 (i)
F-250 CC LB 2WD	6.7L V-8 TD	15,000 (f/h)
F-250 CC LB 2WD	6.7L V-8 TD	18,000 (f/h,t) ⁸
F-250 CC LB 4WD	6.2L V-8	12,300 (i)
F-250 CC LB 4WD	6.2L V-8	14,800 (i)
F-250 CC LB 4WD	6.7L V-8 TD	12,500 (f/h) ¹
F-250 CC LB 4WD	6.7L V-8 TD	13,200 (f/h) ²
F-250 CC LB 4WD	6.7L V-8 TD	17,500 (f/h,t)

*May require tow package depending on GCWR selected. Consult Ford's 2018 RV & Trailer Towing Guide or dealer for details.

GCWR exceptions (lbs.): ¹20,600. ²21,300. ³21,900. ⁴22,000. ⁵22,500. ⁶22,700.

⁷25,200. ⁸25,700.

F-250 SRW FIFTH-WHEEL TOWING

F-250 Regular Cab

F-250 Reg Cab LB 2WD	6.2L V-8	13,200 (i)
F-250 Reg Cab LB 2WD	6.2L V-8	15,700 (i)

F-250 Reg Cab LB 2WD	6.7L V-8 TD	16,400 (f/h)
F-250 Reg Cab LB 2WD	6.7L V-8 TD	18,000 (f/h,t)
F-250 Reg Cab LB 4WD	6.2L V-8	12,800 (i)
F-250 Reg Cab LB 4WD	6.2L V-8	15,300 (i)
F-250 Reg Cab LB 4WD	6.7L V-8 TD	16,000 (f/h)
F-250 Reg Cab LB 4WD	6.7L V-8 TD	16,400 (f/h,t)

F-250 SuperCab

F-250 SuperCab SB 2WD	6.2L V-8	13,000 (i)
F-250 SuperCab SB 2WD	6.2L V-8	15,500 (i)
F-250 SuperCab SB 2WD	6.7L V-8 TD	16,200 (f/h)
F-250 SuperCab SB 2WD	6.7L V-8 TD	17,300 (f/h,t)
F-250 SuperCab SB 4WD	6.2L V-8	12,600 (i)
F-250 SuperCab SB 4WD	6.2L V-8	15,100 (i)
F-250 SuperCab SB 4WD	6.7L V-8 TD	14,700 (f/h,t)
F-250 SuperCab SB 4WD	6.7L V-8 TD	14,800 (f/h)
F-250 SuperCab SB 4WD	6.7L V-8 TD	15,400 (f/h) ²
F-250 SuperCab LB 2WD	6.2L V-8	12,900 (i)
F-250 SuperCab LB 2WD	6.2L V-8	15,400 (i)
F-250 SuperCab LB 2WD	6.7L V-8 TD	16,000 (f/h)
F-250 SuperCab LB 2WD	6.7L V-8 TD	16,400 (f/h,t)
F-250 SuperCab LB 4WD	6.2L V-8	12,500 (i)
F-250 SuperCab LB 4WD	6.2L V-8	15,000 (i)
F-250 SuperCab LB 4WD	6.7L V-8 TD	13,900 (f/h,t) ⁴
F-250 SuperCab LB 4WD	6.7L V-8 TD	14,000 (f/h)
F-250 SuperCab LB 4WD	6.7L V-8 TD	14,700 (f/h) ⁵

F-250 Crew Cab

F-250 CC SB 2WD	6.2L V-8	12,900 (i)
F-250 CC SB 2WD	6.2L V-8	15,400 (i)
F-250 CC SB 2WD	6.7L V-8 TD	16,000 (f/h)
F-250 CC SB 2WD	6.7L V-8 TD	16,500 (f/h,t)
F-250 CC SB 4WD	6.2L V-8	12,500 (i)
F-250 CC SB 4WD	6.2L V-8	15,000 (i)
F-250 CC SB 4WD	6.7L V-8 TD	14,000 (f/h,t) ³
F-250 CC SB 4WD	6.7L V-8 TD	14,100 (f/h)
F-250 CC SB 4WD	6.7L V-8 TD	14,700 (f/h) ⁵
F-250 CC LB 2WD	6.2L V-8	12,600 (i)
F-250 CC LB 2WD	6.2L V-8	15,100 (i)
F-250 CC LB 2WD	6.7L V-8 TD	15,000 (f/h)
F-250 CC LB 2WD	6.7L V-8 TD	15,000 (f/h,t) ⁷
F-250 CC LB 2WD	6.7L V-8 TD	15,700 (f/h) ⁸
F-250 CC LB 4WD	6.2L V-8	12,200 (i)
F-250 CC LB 4WD	6.2L V-8	14,700 (i)
F-250 CC LB 4WD	6.7L V-8 TD	12,200 (f/h)
F-250 CC LB 4WD	6.7L V-8 TD	12,200 (f/h,t) ¹
F-250 CC LB 4WD	6.7L V-8 TD	12,900 (f/h) ²

GCWR exceptions (lbs.): ¹20,900. ²21,300. ³22,200. ⁴22,400. ⁵22,500. ⁶22,700.

⁷23,100. ⁸23,500.

F-350 SRW CONVENTIONAL TOWING

WEIGHT-CARRYING/WEIGHT-DISTRIBUTING

F-350 Regular Cab

F-350 Reg Cab 2WD	6.2L V-8	13,000/13,100 (i)
F-350 Reg Cab 2WD	6.2L V-8	13,000/14,000 (i)

F-350 Reg Cab 2WD	6.7L V-8 TD	14,000/15,000 (f/h)
F-350 Reg Cab 4WD	6.2L V-8	12,600 (i)
F-350 Reg Cab 4WD	6.2L V-8	15,000 (i)
F-350 Reg Cab 4WD	6.7L V-8 TD	14,000/15,000 (f/h)

F-350 SuperCab

F-350 SuperCab SB 2WD	6.2L V-8	12,800 (i)
F-350 SuperCab SB 2WD	6.2L V-8	13,000/14,000 (i)
F-350 SuperCab SB 2WD	6.7L V-8 TD	14,000/15,000 (f/h)
F-350 SuperCab SB 4WD	6.2L V-8	12,400 (i)
F-350 SuperCab SB 4WD	6.2L V-8	15,000 (i)
F-350 SuperCab SB 4WD	6.7L V-8 TD	14,000/14,700 (f/h)
F-350 SuperCab SB 4WD	6.7L V-8 TD	14,000/15,000 (f/h) ⁷
F-350 SuperCab LB 2WD	6.2L V-8	12,700 (i)
F-350 SuperCab LB 2WD	6.2L V-8	15,000 (i)
F-350 SuperCab LB 2WD	6.7L V-8 TD	15,000 (f/h)
F-350 SuperCab LB 4WD	6.2L V-8	12,300 (i)
F-350 SuperCab LB 4WD	6.2L V-8	15,000 (i)
F-350 SuperCab LB 4WD	6.7L V-8 TD	14,000 (f/h)
F-350 SuperCab LB 4WD	6.7L V-8 TD	15,000 (f/h) ⁷

F-350 Crew Cab

F-350 CC SB 2WD	6.2L V-8	12,700 (i)
F-350 CC SB 2WD	6.2L V-8	15,000 (i)
F-350 CC SB 2WD	6.7L V-8 TD	15,000 (f/h)
F-350 CC SB 4WD	6.2L V-8	12,300 (i)
F-350 CC SB 4WD	6.2L V-8	15,000 (i)
F-350 CC SB 4WD	6.7L V-8 TD	13,600 (f/h) ²
F-350 CC SB 4WD	6.7L V-8 TD	15,000 (f/h)
F-350 CC LB 2WD	6.2L V-8	12,500 (i)
F-350 CC LB 2WD	6.2L V-8	15,000 (i)
F-350 CC LB 2WD	6.7L V-8 TD	14,800 (f/h) ³
F-350 CC LB 2WD	6.7L V-8 TD	18,000 (f/h)
F-350 CC LB 4WD	6.2L V-8	12,000 (i)
F-350 CC LB 4WD	6.2L V-8	15,000 (i)
F-350 CC LB 4WD	6.7L V-8 TD	12,000 (f/h) ¹
F-350 CC LB 4WD	6.7L V-8 TD	18,000 (f/h)

GCWR exceptions (lbs.): ¹20,200, ²21,600, ³22,600, ⁴28,200, ⁵28,400, ⁶28,600.

⁷28,700

F-350 SRW FIFTH-WHEEL TOWING

F-350 Regular Cab

F-350 Reg Cab 2WD	6.2L V-8	13,000 (i)
F-350 Reg Cab 2WD	6.2L V-8	16,500 (i)
F-350 Reg Cab 2WD	6.7L V-8 TD	18,000 (f/h)
F-350 Reg Cab 4WD	6.2L V-8	12,600 (i)
F-350 Reg Cab 4WD	6.2L V-8	16,100 (i)
F-350 Reg Cab 4WD	6.7L V-8 TD	15,400 (f/h)

F-350 SuperCab

F-350 SuperCab SB 2WD	6.2L V-8	12,800 (i)
F-350 SuperCab SB 2WD	6.2L V-8	16,300 (i)
F-350 SuperCab SB 2WD	6.7L V-8 TD	17,500 (f/h)
F-350 SuperCab SB 4WD	6.2L V-8	12,400 (i)

F-350 SuperCab SB 4WD	6.2L V-8	15,900 (i)
F-350 SuperCab SB 4WD	6.7L V-8 TD	14,700 (f/h) ⁴
F-350 SuperCab LB 2WD	6.2L V-8	12,700 (i)
F-350 SuperCab LB 2WD	6.2L V-8	16,200 (i)
F-350 SuperCab LB 2WD	6.7L V-8 TD	16,600 (f/h)
F-350 SuperCab LB 4WD	6.2L V-8	12,300 (i)
F-350 SuperCab LB 4WD	6.2L V-8	15,800 (i)
F-350 SuperCab LB 4WD	6.7L V-8 TD	13,900 (f/h) ³

F-350 Crew Cab

F-350 CC SB 2WD	6.2L V-8	12,600 (i)
F-350 CC SB 2WD	6.2L V-8	16,100 (i)
F-350 CC SB 2WD	6.7L V-8 TD	16,300 (f/h)
F-350 CC SB 2WD	6.7L V-8 TD	18,000 (f/h) ^{6*}
F-350 CC SB 4WD	6.2L V-8	12,200 (i)
F-350 CC SB 4WD	6.2L V-8	15,700 (i)
F-350 CC SB 4WD	6.7L V-8 TD	13,600 (f/h) ²
F-350 CC SB 4WD	6.7L V-8 TD	18,000 (f/h) ³
F-350 CC LB 2WD	6.2L V-8	12,400 (i)
F-350 CC LB 2WD	6.2L V-8	15,900 (i)
F-350 CC LB 2WD	6.7L V-8 TD	14,800 (f/h) ⁵
F-350 CC LB 2WD	6.7L V-8 TD	18,000 (f/h) ^{7*}
F-350 CC LB 4WD	6.2L V-8	12,000 (i)
F-350 CC LB 4WD	6.2L V-8	15,500 (i)
F-350 CC LB 4WD	6.7L V-8 TD	12,000 (f/h) ¹
F-350 CC LB 4WD	6.7L V-8 TD	18,000 (f/h) ^{6*}

GCWR exceptions (lbs.): ¹20,200, ²21,600, ³21,900, ⁴22,500, ⁵22,600, ⁶28,200.

⁷28,400, ⁸28,600.

*17" tires

F-350/F-450 DRW CONVENTIONAL TOWING WEIGHT-CARRYING/WEIGHT-DISTRIBUTING

F-350 Regular Cab

F-350 Reg Cab DRW 2WD	6.2L V-8	13,200 (i)
F-350 Reg Cab DRW 2WD	6.2L V-8	16,700 (i)
F-350 Reg Cab DRW 2WD	6.7L V-8 TD	18,000/21,000 (h/k)
F-350 Reg Cab DRW 4WD	6.2L V-8	12,700 (i)
F-350 Reg Cab DRW 4WD	6.2L V-8	16,200 (i)
F-350 Reg Cab DRW 4WD	6.7L V-8 TD	18,000/20,000 (h/k)

F-350 SuperCab

F-350 SuperCab LB DRW 2WD	6.2L V-8	12,700 (i)
F-350 SuperCab LB DRW 2WD	6.2L V-8	16,200 (i)
F-350 SuperCab LB DRW 2WD	6.7L V-8 TD	18,000/21,000 (h/k)
F-350 SuperCab LB DRW 4WD	6.2L V-8	12,300 (i)
F-350 SuperCab LB DRW 4WD	6.2L V-8	15,800 (i)
F-350 SuperCab LB DRW 4WD	6.7L V-8 TD	19,000/21,000 (h/k)

F-350/F-450 Crew Cab

F-350 CC LB DRW 2WD	6.2L V-8	12,500 (i)
F-350 CC LB DRW 2WD	6.2L V-8	16,000 (i)
F-350 CC LB DRW 2WD	6.7L V-8 TD	19,000/21,000 (h/k)
F-350 CC LB DRW 4WD	6.2L V-8	12,100 (i)
F-350 CC LB DRW 4WD	6.2L V-8	15,600 (i)

2018 TOW RATINGS

F-350 CC LB DRW 4WD	6.7L V-8 TD	21,000 (h/k)
F-450 CC LB DRW 2WD/4WD	6.7L V-8 TD	21,000 (l)

F-350/F-450 DRW FIFTH-WHEEL TOWING

F-350 Regular Cab

F-350 Reg Cab DRW 2WD	6.2L V-8	13,100 (i)
F-350 Reg Cab DRW 2WD	6.2L V-8	16,600 (l)
F-350 Reg Cab DRW 2WD	6.7L V-8 TD	27,500 (h/k)
F-350 Reg Cab DRW 4WD	6.2L V-8	12,700 (i)
F-350 Reg Cab DRW 4WD	6.2L V-8	16,200 (l)
F-350 Reg Cab DRW 4WD	6.7L V-8 TD	27,500 (h/k)

F-350 SuperCab

F-350 SuperCab DRW LB 2WD	6.2L V-8	12,700 (i)
F-350 SuperCab DRW LB 2WD	6.2L V-8	16,200 (l)
F-350 SuperCab DRW LB 2WD	6.7L V-8 TD	27,500 (h/k)
F-350 SuperCab DRW LB 4WD	6.2L V-8	12,300 (i)
F-350 SuperCab DRW LB 4WD	6.2L V-8	15,800 (l)
F-350 SuperCab DRW LB 4WD	6.7L V-8 TD	27,500 (h/k)

F-350/F-450 Crew Cab

F-350 CC LB DRW 2WD	6.2L V-8	12,500 (i)
F-350 CC LB DRW 2WD	6.2L V-8	16,000 (l)
F-350 CC LB DRW 2WD	6.7L V-8 TD	27,500 (h/k)
F-350 CC LB DRW 4WD	6.2L V-8	12,000 (i)
F-350 CC LB DRW 4WD	6.2L V-8	15,500 (l)
F-350 CC LB DRW 4WD	6.7L V-8 TD	27,300 (h)
F-350 CC LB DRW 4WD	6.7L V-8 TD	27,500 (k)
F-450 CC LB DRW 2WD/4WD	6.7L V-8 TD	27,500 (l)

LINCOLN

MKC	All	3,000 (t)**
MKT FWD	3.7L V-6	2,000 (t)
MKT AWD	3.5L V-6 TC	4,500 (t)
MKX FWD/AWD	All	3,500 (t)
Navigator 2WD	3.5L V-6 TC	6,200*
Navigator 2WD	3.5L V-6 TC	8,700 (t)*
Navigator 4WD	3.5L V-6 TC	6,200*
Navigator 4WD	3.5L V-6 TC	8,300 (t)*
Navigator L 2WD/4WD	3.5L V-6 TC	6,600*
Navigator L 2WD	3.5L V-6 TC	8,400 (t)*
Navigator L 4WD	3.5L V-6 TC	8,100 (t)*

*Maximum loaded trailer weight requires weight-distributing hitch.

**Certain states require electric trailer brakes for trailers over a specified weight.

Maximum trailer weight listed may be limited to this specified weight, as the electrical system does not include the wiring connector needed to activate electric trailer brakes.

TRANSIT VAN

T-150/250 Regular Wheelbase

Transit T-150/250 RWB LR	3.7L V-6	5,400 (i,t)
Transit T-150/250 RWB LR	3.7L V-6	6,600 (k,t)
Transit T-150/250 RWB LR	3.5L V-6 TC	5,700 (f,t)
Transit T-150/250 RWB LR	3.5L V-6 TC	7,100 (i,t)
Transit T-150/250 RWB LR	3.2L I-5 TD	4,800 (f,t)

Transit T-150/250 RWB MR	3.7L V-6	5,200 (i,t)
Transit T-150/250 RWB MR	3.7L V-6	6,400 (k,t)
Transit T-150/250 RWB MR	3.5L V-6 TC	5,500 (f,t)
Transit T-150/250 RWB MR	3.5L V-6 TC	6,900 (i,t)
Transit T-150/250 RWB MR	3.2L I-5 TD	4,600 (f,t)

T-150/250 Long Wheelbase

Transit T-150/250 LWB LR	3.7L V-6	5,200 (i,t)
Transit T-150/250 LWB LR	3.7L V-6	6,400 (k,t)
Transit T-150/250 LWB LR	3.5L V-6 TC	5,600 (f,t)
Transit T-150/250 LWB LR	3.5L V-6 TC	7,000 (i,t)
Transit T-150/250 LWB LR	3.2L I-5 TD	4,600 (f,t)
Transit T-150/250 LWB LR	3.2L I-5 TD	7,500 (i,t)
Transit T-150/250 LWB MR	3.7L V-6	5,100 (i,t)
Transit T-150/250 LWB MR	3.7L V-6	6,300 (k,t)
Transit T-150/250 LWB MR	3.5L V-6 TC	5,400 (f,t)
Transit T-150/250 LWB MR	3.5L V-6 TC	6,800 (i,t)
Transit T-150/250 LWB MR	3.2L I-5 TD	4,500 (f,t)
Transit T-150/250 LWB MR	3.2L I-5 TD	7,400 (i,t)

T-250 Long Wheelbase

Transit T-250 LWB HR	3.7L V-6	6,200 (k,t)
Transit T-250 LWB HR	3.5L V-6 TC	5,300 (f,t)
Transit T-250 LWB HR	3.5L V-6 TC	6,700 (i,t)
Transit T-250 LWB HR	3.2L I-5 TD	4,400 (f,t)
Transit T-250 LWB HR	3.2L I-5 TD	7,300 (i,t)
Transit T-250 LWB EL HR	3.7L V-6	6,000 (k,t)
Transit T-250 LWB EL HR	3.5L V-6 TC	5,100 (f,t)
Transit T-250 LWB EL HR	3.5L V-6 TC	6,500 (i,t)
Transit T-250 LWB EL HR	3.2L I-5 TD	4,200 (f,t)
Transit T-250 LWB EL HR	3.2L I-5 TD	7,100 (i,t)

T-350 Regular Wheelbase

Transit T-350 RWB LR	3.7L V-6	5,400 (i,t)
Transit T-350 RWB LR	3.7L V-6	6,600 (k,t)
Transit T-350 RWB LR	3.5L V-6 TC	5,700 (f,t)
Transit T-350 RWB LR	3.5L V-6 TC	7,100 (i,t)
Transit T-350 RWB LR	3.2L I-5 TD	4,800 (f,t)
Transit T-350 RWB MR	3.7L V-6	5,200 (i,t)
Transit T-350 RWB MR	3.7L V-6	6,400 (k,t)
Transit T-350 RWB MR	3.5L V-6 TC	5,500 (f,t)
Transit T-350 RWB MR	3.5L V-6 TC	6,900 (i,t)
Transit T-350 RWB MR	3.2L I-5 TD	4,600 (f,t)

T-350 Long Wheelbase

Transit T-350 LWB LR	3.7L V-6	5,200 (i,t)
Transit T-350 LWB LR	3.7L V-6	6,400 (k,t)
Transit T-350 LWB LR	3.5L V-6 TC	5,600 (f,t)
Transit T-350 LWB LR	3.5L V-6 TC	7,000 (i,t)
Transit T-350 LWB MR	3.7L V-6	5,100 (i,t)
Transit T-350 LWB MR	3.7L V-6	6,300 (k,t)
Transit T-350 LWB MR	3.5L V-6 TC	5,400 (f,t)
Transit T-350 LWB MR	3.5L V-6 TC	6,800 (i,t)

Transit T-350 LWB HR	3.7L V-6	6,200 (k,t)
Transit T-350 LWB HR	3.5L V-6 TC	5,300 (f,t)
Transit T-350 LWB HR	3.5L V-6 TC	6,700 (i,t)
Transit T-350 LWB EL HR	3.7L V-6	6,000 (k,t)
Transit T-350 LWB EL HR	3.5L V-6 TC	5,100 (f,t)
Transit T-350 LWB EL HR	3.5L V-6 TC	6,500 (i,t)
Transit T-350 LWB EL HR	3.5L V-6 TC	6,700 (i,t)*
Transit T-350 LWB EL HR	3.2L I-5 TD	4,200 (f,t)
Transit T-350 LWB EL HR	3.2L I-5 TD	7,100 (i,t)

*GCWR 13,000 lbs.

TRANSIT WAGON

T-150 Regular Wheelbase

Transit T-150 RWB LR	3.7L V-6	4,700 (i,t)
Transit T-150 RWB LR	3.7L V-6	5,100 (k,t)
Transit T-150 RWB LR	3.5L V-6 TC	5,100 (f/i,t)
Transit T-150 RWB MR	3.7L V-6	4,500 (i,t)
Transit T-150 RWB MR	3.7L V-6	4,900 (k,t)
Transit T-150 RWB MR	3.5L V-6 TC	4,900 (f/i,t)

T-350 Long Wheelbase

Transit T-350 LWB LR	3.7L V-6	4,300 (i,t)
Transit T-350 LWB LR	3.7L V-6	4,700 (k,t)
Transit T-350 LWB LR	3.5L V-6 TC	4,600 (f/i,t)
Transit T-350 LWB LR	3.2L I-5 TD	3,800 (f,t)
Transit T-350 LWB LR	3.2L I-5 TD	4,400 (i,t)
Transit T-350 LWB MR	3.7L V-6	4,100 (i,t)
Transit T-350 LWB MR	3.7L V-6	4,500 (k,t)
Transit T-350 LWB MR	3.5L V-6 TC	4,500 (f/i,t)
Transit T-350 LWB MR	3.2L I-5 TD	3,600 (f,t)
Transit T-350 LWB MR	3.2L I-5 TD	4,200 (i,t)
Transit T-350 LWB HR	3.7L V-6	4,500 (k,t)
Transit T-350 LWB HR	3.5L V-6 TC	4,400 (f/i,t)
Transit T-350 LWB HR	3.2L I-5 TD	3,500 (f,t)
Transit T-350 LWB HR	3.2L I-5 TD	4,100 (i,t)
Transit T-350 LWB EL HR	3.5L V-6 TC	3,800 (i,t)
Transit T-350 LWB EL HR	3.2L I-5 TD	3,500 (i,t)

For trailers over 5,000 lbs., heavy-duty trailer tow package required.

GENERAL MOTORS

BUICK

Enclave Avenir	3.6L V-6	5,000 (t)
Enclave	3.6L V-6	5,000 (t)

CADILLAC

Escalade 2WD	6.2L V-8	8,300
Escalade 4WD	6.2L V-8	8,100
Escalade ESV 2WD	6.2L V-8	8,100
Escalade ESV 4WD	6.2L V-8	7,900
XT5 FWD/AWD	3.6L V-6	3,500 (t)

CHEVROLET COLORADO/GMC CANYON

Colorado/Canyon	2.5L I-4	3,500
-----------------	----------	-------

Colorado/Canyon CC 2WD	2.8L TD	7,700
Colorado/Canyon CC 4WD	2.8L TD	7,600
Colorado Ext Cab	2.8L TD	7,700
Colorado/Canyon	3.6L V-6	7,000 (t)
Colorado ZR2	All	5,000

CHEVROLET EQUINOX, TRAVERSE/GMC ACADIA, TERRAIN

Chevrolet Equinox/GMC Terrain	2.0L I-4 TC	3,500 (t)
Chevrolet Traverse	3.6L V-6	5,000 (t)
GMC Acadia	3.6L V-6	4,000 (t)
GMC Acadia Denali	3.6L V-6	4,000

CHEVROLET EXPRESS/GMC SAVANA

Express/Savana 2500 CV	4.3L V-8	7,200 (t)
Express/Savana 2500 CV	6.0L V-8	10,000 (t)
Express/Savana 2500 CV	2.8L I-4 TD	6,800 (t)
Express/Savana 2500 LWB CV	4.3L V-8	6,900 (t)
Express/Savana 2500 LWB CV	6.0L V-8	9,800 (t)
Express/Savana 2500 LWB CV	2.8L I-4 TD	6,500 (t)
Express/Savana 2500 PV	4.3L V-8	6,500 (t)
Express/Savana 2500 PV	6.0L V-8	9,400 (t)
Express/Savana 2500 PV	2.8L I-4 TD	6,100 (t)
Express/Savana 3500 CV	4.3L V-8	7,200 (t)
Express/Savana 3500 CV	6.0L V-8	10,000 (t)
Express/Savana 3500 CV	2.8L I-4 TD	6,800 (t)
Express/Savana 3500 LWB CV	4.3L V-8	7,000 (t)
Express/Savana 3500 LWB CV	6.0L V-8	9,900 (t)
Express/Savana 3500 LWB CV	2.8L I-4 TD	6,500 (t)
Express/Savana 3500 PV	4.3L V-8	6,500 (t)
Express/Savana 3500 PV	6.0L V-8	9,400 (t)
Express/Savana 3500 PV	2.8L I-4 TD	6,000 (t)
Express/Savana 3500 LWB PV	4.3L V-8	6,100 (t)
Express/Savana 3500 LWB PV	6.0L V-8	9,000 (t)
Express/Savana 3500 LWB PV	2.8L I-4 TD	5,700 (t)

CHEVROLET SILVERADO/GMC SIERRA 1500

CONVENTIONAL/FIFTH-WHEEL TOWING

Chevy/GMC Bed Lengths: Shortbed 5'8"/Standard 6.5'/Longbed 8'

1500 Regular Cab

1500 Reg Cab Std Bed 2WD	4.3L V-6	6,000/6,000 (e,t)
1500 Reg Cab Std Bed 2WD	5.3L V-8	6,900/6,900 (b,t)
1500 Reg Cab Std Bed 2WD	5.3L V-8	8,900/8,900 (g,t)
1500 Reg Cab Std Bed 4WD	4.3L V-6	7,600/7,500 (g,t)
1500 Reg Cab Std Bed 4WD	5.3L V-8	6,600/6,600 (b,t)
1500 Reg Cab Std Bed 4WD	5.3L V-8	8,600/8,600 (g,t)
1500 Reg Cab LB 2WD	4.3L V-6	5,900/5,900 (e,t)
1500 Reg Cab LB 2WD	5.3L V-8	6,800/6,700 (b,t)
1500 Reg Cab LB 2WD	5.3L V-8	9,800/9,700 (g,t)
1500 Reg Cab LB 4WD	4.3L V-6	7,400/7,400 (g,t)
1500 Reg Cab LB 4WD	5.3L V-8	6,500/6,500 (b,t)
1500 Reg Cab LB 4WD	5.3L V-8	9,500/9,500 (g,t)

1500 Double Cab

1500 DC 2WD	4.3L V-6	5,600/5,600 (e,t)
1500 DC 2WD	5.3L V-8	6,400/6,400 (b,t)
1500 DC 2WD	5.3L V-8	9,400/9,400 (a8,g,t)
1500 DC 2WD	5.3L V-8	11,100/11,000 (i,t)
1500 DC 2WD	6.2L V-8	9,400/9,000 (a8*,e,t)
1500 DC 2WD	6.2L V-8	12,500/11,600 (a8*,g,t)
1500 DC 4WD	4.3L V-6	7,100/7,000 (g,t)
1500 DC 4WD	5.3L V-8	6,200/6,200 (b,t)
1500 DC 4WD	5.3L V-8	9,200/9,000 (a8,g,t)
1500 DC 4WD	5.3L V-8	10,800/10,800 (i,t)
1500 DC 4WD	6.2L V-8	9,100/8,600 (a8*,e,t)
1500 DC 4WD	6.2L V-8	11,800/11,000 (a8*,g,t)

1500 Crew Cab

1500 CC SB 2WD	4.3L V-6	5,500 (e,t)
1500 CC SB 2WD	5.3L V-8	6,400 (b,t)
1500 CC SB 2WD	5.3L V-8	9,400 (a8,g,t)
1500 CC SB 2WD	5.3L V-8	11,000 (i,t)
1500 CC SB 2WD	6.2L V-8	9,300 (a8,e,t)
1500 CC SB 2WD	6.2L V-8	12,500 (a8,g,t)
1500 CC SB 4WD	4.3L V-6	7,000 (g,t)
1500 CC SB 4WD	5.3L V-8	6,100 (b,t)
1500 CC SB 4WD	5.3L V-8	9,100 (a8,g,t)
1500 CC SB 4WD	5.3L V-8	10,700 (i,t)
1500 CC SB 4WD	6.2L V-8	9,100 (a8,e,t)
1500 CC SB 4WD	6.2L V-8	11,700 (a8,g,t)
1500 CC Std Bed 2WD	5.3L V-8	6,300/6,300 (b,t)
1500 CC Std Bed 2WD	5.3L V-8	9,300/8,500 (g,t)
1500 CC Std Bed 2WD	5.3L V-8	11,000/10,700 (a8*,i,t)
1500 CC Std Bed 2WD	6.2L V-8	9,300/8,300 (a8*,e,t)
1500 CC Std Bed 2WD	6.2L V-8	11,900/10,500 (a8*,g,t)
1500 CC Std Bed 4WD	5.3L V-8	6,100/6,000 (b,t)
1500 CC Std Bed 4WD	5.3L V-8	9,100/8,100 (a8,g,t)
1500 CC Std Bed 4WD	5.3L V-8	10,700/10,300 (i,t)
1500 CC Std Bed 4WD	6.2L V-8	9,000/8,000 (a8*,e,t)
1500 CC Std Bed 4WD	6.2L V-8	11,700/10,200 (a8*,g,t)

Conventional towing only, if single tow limit listed.

*8-speed automatic transmission required for maximum trailering capacity with conventional towing.

CHEVROLET SILVERADO/GMC SIERRA 2500

CONVENTIONAL/FIFTH-WHEEL TOWING

2500 Regular Cab

2500 Reg Cab LB 2WD	6.0L V-8	14,500/14,800 (k)
2500 Reg Cab LB 2WD	6.6L V-8 TD	14,500/18,100 (i)
2500 Reg Cab LB 4WD	6.0L V-8	14,500/14,500 (k)
2500 Reg Cab LB 4WD	6.6L V-8 TD	14,500/15,900 (i)

2500 Double Cab

2500 DC Std Bed 2WD	6.0L V-8	13,000/14,500 (k)
2500 DC Std Bed 2WD	6.6L V-8 TD	13,000/16,400 (i)
2500 DC Std Bed 4WD	6.0L V-8	13,000/14,200 (k)
2500 DC Std Bed 4WD	6.6L V-8 TD	13,000/14,400 (i)

2500 DC LB 2WD	6.0L V-8	14,400/14,400 (k)
2500 DC LB 2WD	6.6L V-8 TD	14,500/15,700 (i)
2500 DC LB 4WD	6.0L V-8	14,100/14,100 (k)
2500 DC LB 4WD	6.6L V-8 TD	14,500/13,700 (i)

2500 Crew Cab

2500 CC Std Bed 2WD	6.0L V-8	13,000/14,300 (k)
2500 CC Std Bed 2WD	6.6L V-8 TD	13,000/15,400 (i)
2500 CC Std Bed 4WD	6.0L V-8	13,000/14,000 (k)
2500 CC Std Bed 4WD	6.6L V-8 TD	13,000/13,500 (i)
2500 CC LB 2WD	6.0L V-8	14,300/14,200 (k)
2500 CC LB 2WD	6.6L V-8 TD	14,500/14,800 (i)
2500 CC LB 4WD	6.0L V-8	13,900/13,900 (k)
2500 CC LB 4WD	6.6L V-8 TD	14,500/12,400 (i)

CHEVROLET SILVERADO/GMC SIERRA 3500

CONVENTIONAL/FIFTH-WHEEL TOWING

3500 Regular Cab

3500 Reg Cab LB SRW 2WD	6.0L V-8	14,500/14,600 (k)
3500 Reg Cab LB SRW 4WD	6.0L V-8	14,300/14,300 (k)
3500 Reg Cab LB SRW 4WD	6.6L V-8 TD	14,500/17,600 (i)
3500 Reg Cab LB DRW 2WD	6.0L V-8	14,300/14,300 (k)
3500 Reg Cab LB DRW 4WD	6.0L V-8	14,000/13,900 (k)
3500 Reg Cab LB DRW 4WD	6.6L V-8 TD	20,000/23,300 (i)

3500 Double Cab

3500 DC LB SRW 2WD	6.0L V-8	14,200/14,200 (k)
3500 DC LB SRW 2WD	6.6L V-8 TD	14,500/17,500 (i)
3500 DC LB SRW 4WD	6.0L V-8	13,900/13,900 (k)
3500 DC LB SRW 4WD	6.6L V-8 TD	14,500/17,200 (i)
3500 DC LB DRW 2WD	6.0L V-8	13,800/13,800 (k)
3500 DC LB DRW 2WD	6.6L V-8 TD	20,000/23,200 (i)
3500 DC LB DRW 4WD	6.0L V-8	13,600/13,500 (k)
3500 DC LB DRW 4WD	6.6L V-8 TD	20,000/22,900 (i)

3500 Crew Cab

3500 CC Std Bed SRW 2WD	6.0L V-8	13,000/14,200 (k)
3500 CC Std Bed SRW 2WD	6.6L V-8 TD	13,000/17,500 (i)
3500 CC Std Bed SRW 4WD	6.0L V-8	13,000/13,900 (k)
3500 CC Std Bed SRW 4WD	6.6L V-8 TD	13,000/17,200 (i)
3500 CC LB SRW 2WD	6.0L V-8	14,100/14,000 (k)
3500 CC LB SRW 2WD	6.6L V-8 TD	14,500/17,400 (i)
3500 CC LB DRW 2WD	6.0L V-8	13,700/13,700 (k)
3500 CC LB DRW 2WD	6.6L V-8 TD	20,000/23,100 (i)
3500 CC LB SRW 4WD	6.0L V-8	13,700/13,700 (k)
3500 CC LB SRW 4WD	6.6L V-8 TD	15,000/17,000 (i)
3500 CC LB DRW 4WD	6.0L V-8	13,400/13,300 (k)
3500 CC LB DRW 4WD	6.6L V-8 TD	20,000/22,700 (i)

Ratings for Sierra Denali HD models may vary slightly. See dealer for details.

Fifth-wheel towing requires gooseneck/fifth-wheel prep package.

CHEVROLET SUBURBAN, TAHOE/GMC YUKON

Suburban/Yukon XL 2WD	5.3L V-8	6,300 (b)
-----------------------	----------	-----------

Suburban/Yukon XL 2WD	5.3L V-8	8,300 (g,t)
Suburban/Yukon XL 4WD	5.3L V-8	6,000 (b)
Suburban/Yukon XL 4WD	5.3L V-8	8,000 (g,t)
Tahoe/Yukon 2WD	5.3L V-8	8,500 (g,t)
Tahoe/Yukon 2WD	5.3L V-8	6,500 (b)
Tahoe/Yukon 4WD	5.3L V-8	6,300 (b)
Tahoe/Yukon 4WD	5.3L V-8	8,200 (g,t)
Tahoe/Yukon Denali 2WD	6.2L V-8	8,400 (e)
Tahoe/Yukon Denali 4WD	6.2L V-8	8,100 (e)
Yukon XL Denali 2WD	6.2L V-8	8,100 (e)
Yukon XL Denali 4WD	6.2L V-8	7,900 (e)

Ratings for Tahoe and Yukon models may vary slightly. See dealer for details.

HONDA

Odyssey	3.5L V-6	3,000 (a9,t)
Odyssey	3.5L V-6	3,500 (a10,t)
Pilot 2WD	3.5L V-6	3,500 (t)
Pilot AWD	3.5L V-6	5,000 (t)
Ridgeline 2WD	3.5L V-6	3,500 (t)
Ridgeline AWD	3.5L V-6	5,000 (t)

HYUNDAI

Santa Fe	3.3L V-6	5,000 (t)
Santa Fe Sport	2.4L I-4	2,000 (t)
Santa Fe Sport	2.0L I-4 TC	3,500 (t)

INFINITI

QX60	3.5L V-6	5,000 (t)
QX80	5.6L V-8	8,500 *

*2017 tow rating; 2018 rating not available at press time.

KIA

Sedona	3.3L V-6	3,500 (t)
Sorento FWD/AWD	2.4L I-4	2,000 (t)
Sorento FWD/AWD	2.0L I-4 TC	3,500 (t)
Sorento FWD	3.3L V-6	3,500 (t)
Sorento AWD	3.3L V-6	5,000 (t)
Sportage FWD/AWD	All	2,000 (t)*

*With trailer brakes

LAND ROVER

Land Rover Discovery	3.0L V-6 TD	7,716 (t)*
Land Rover Discovery	3.0L V-6 SC	8,201 (t)*
Land Rover Discovery Sport	2.0L I-4 TC	4,409 (t)
Range Rover	3.0L V-6 TD	7,716 (t)
Range Rover	3.0L V-6 SC	7,716 (t)
Range Rover	5.0L V-8 SC (518hp)	7,716 (t)
Range Rover	5.0L V-8 SC (557hp)	6,614 (t)
Range Rover Evoque 5-Door	All	3,968 (t)
Range Rover Evoque Convertible	All	3,306 (t)
Range Rover Sport	All	7,716 (t)
Ranger Rover Velar	2.0L I-4 TC/TD	5,291 (t)
Ranger Rover Velar	3.0L V-6 SC	5,512 (t)

*2017 tow ratings; 2018 ratings not available at press time.

LEXUS

NX 200t	2.0L I-4 TC	2,000 (t)
RX 350	3.5L V-6	3,500 (t)
RX 450h AWD Hybrid	3.5L V-6	3,500 (t)
GX 460	4.6L V-8	6,500
LX 570	5.7L V-8	7,000

MAZDA

CX5	2.0L	2,000 (t)
CX9	3.7L V-6	3,500 (t)

MERCEDES-BENZ

GLC Coupe	All	3,500 (t)
GLC SUV	All	3,500 (t)
GLE Coupe	All	7,200 (t)
GLE SUV AMG	All	7,200 (t)
GLE 350 SUV RWD	3.5L V-6	6,600 (t)
GLE 350 4Matic SUV AWD	3.5L V-6	7,200 (t)
GLE 550e 4Matic AWD Hybrid	3.0L V-6 TC	4,410 (t)
GLS 450/550 4Matic SUV	All	7,200 (t)
GLS 63 SUV AMG	5.5L V-8 TC	7,500 (t)
G-Class SUV	All	7,000

MITSUBISHI

Outlander GT	3.0L V-6	3,500 (t)
--------------	----------	-----------

NISSAN

Armada	5.6L V-8	8,500 (t)
Frontier S/SV CC 5' Bed 2WD	4.0L V-6	6,640 (t)
Frontier S/SV CC 5' Bed 4WD	4.0L V-6	6,370 (t)
Frontier SV CC 6'1" Bed 2WD	4.0L V-6	6,500 (t)
Frontier SV CC 6'1" Bed 4WD	4.0L V-6	6,240 (t)
Frontier DR CC 5' Bed 2WD	4.0L V-6	6,610 (t)
Frontier SL CC 5' Bed 2WD	4.0L V-6	6,480 (t)
Frontier SL CC 5' Bed 4WD	4.0L V-6	6,240 (t)
Frontier SL CC 6'1" Bed 4WD	4.0L V-6	6,110 (t)
Frontier PRO-4X CC 5' Bed 4WD	4.0L V-6	6,290 (t)
Frontier S/SV Ext Cab 6'1" Bed 2WD	2.5L I-4	3,790 (t)
Frontier SV Ext Cab 6'1" Bed 2WD	4.0L V-6	6,710 (t)
Frontier SV Ext Cab 6'1" Bed 4WD	4.0L V-6	6,510 (t)
Frontier DR Ext Cab 6'1" Bed 2WD	4.0L V-6	6,690 (t)
Frontier PRO-4X Ext Cab 6'1" Bed 4WD	4.0L V-6	6,450 (t)
Pathfinder	3.5L V-6	6,000 (t)*
Titan Reg Cab 8' Bed 2WD	5.6L V-8	9,740 (t)*
Titan Reg Cab 8' Bed 4WD	5.6L V-8	9,560 (t)*
Titan Ext Cab 6'6" Bed 2WD	5.6L V-8	9,420 (t)*
Titan Ext Cab 6'6" Bed 4WD	5.6L V-8	9,250 (t)*
Titan CC 5'7" Bed 2WD	5.6L V-8	9,400 (t)*
Titan CC 5'7" Bed 4WD	5.6L V-8	9,230 (t)*
Titan XD Reg Cab 8' Bed 2WD	5.0L V-8 TD	12,640/12,760 (t)*
Titan XD Reg Cab 8' Bed 4WD	5.0L V-8 TD	12,360/12,480 (t)*
Titan XD Ext Cab 6'6" Bed 2WD	5.6L V-8	11,380/11,510 (t)*
Titan XD Ext Cab 6'6" Bed 4WD	5.6L V-8	11,060/11,180 (t)*

2018 TOW RATINGS

Titan XD Ext Cab 6'6" Bed 2WD	5.0L V-8 TD	12,510/12,630 (t)*
Titan XD Ext Cab 6'6" Bed 4WD	5.0L V-8 TD	12,160/12,160 (t)*
Titan XD CC 6'6" Bed 2WD	5.6L V-8	11,260/11,390 (t)*
Titan XD CC 6'6" Bed 4WD	5.6L V-8	10,990/11,120 (t)*
Titan XD CC 6'6" Bed 2WD	5.0L V-8 TD	12,310/11,900 (t)*
Titan XD CC 6'6" Bed 4WD	5.0L V-8 TD	12,030/11,330 (t)*

Titan XD ratings include conventional/fifth-wheel tow limits.

*Tow package required for some models, standard on others. See dealer for details.

PORSCHE

Cayenne S	All	7,716 (t)
Macan	All	4,409 (t)

SUBARU

Outback	All	2,700
---------	-----	-------

Connector for trailer harness is standard. Hitch receiver/hitch can be added as dealer-installed accessory.

TOYOTA

4Runner	4.0L V-6	5,000
Highlander	3.5L V-6	5,000 (t)
Highlander Hybrid	3.5L V-6	3,500 (t)
Land Cruiser	5.7L V-8	8,100
RAV4 Adventure FWD	2.5L I-4	2,900 (t)
RAV4 Adventure AWD	2.5L I-4	3,500 (t)
Sequoia SR5 2WD	5.7L V-8	7,400
Sequoia SR5 4WD	5.7L V-8	7,100
Sequoia TRD Sport 2WD	5.7L V-8	7,400
Sequoia TRD Sport 4WD	5.7L V-8	7,100
Sequoia Ltd 2WD	5.7L V-8	7,400
Sequoia Ltd 4WD	5.7L V-8	7,100
Sequoia Platinum 2WD	5.7L V-8	7,200
Sequoia Platinum 4WD	5.7L V-8	7,000
Sienna	3.5L V-6	3,500 (t)

TACOMA

Tacoma Bed Lengths: Shortbed 5'/Longbed 6'/Access Cab Standard 6'/DC Standard 5'

Tacoma SR Access Cab 2WD/4WD	2.7L I-4	3,500 (t)
Tacoma SR DC 2WD	2.7L V-6	3,500 (t)
Tacoma SR DC 4WD	3.5L V-6	6,400
Tacoma SR5 Access Cab 2WD	3.5L V-6	6,800
Tacoma SR5 DC 2WD	3.5L V-6	6,700
Tacoma SR5 DC 2WD	2.7L I-4	3,500 (t)
Tacoma SR5 DC 4WD	3.5L V-6	6,400
Tacoma SR5 Access Cab 4WD	3.5L V-6	6,500
Tacoma DC 2WD LB	3.5L V-6	6,600
Tacoma TRD Sport Access Cab 2WD	3.5L V-6	6,800
Tacoma TRD Sport Access Cab 4WD	3.5L V-6	6,500
Tacoma TRD Sport DC 2WD SB	3.5L V-6	6,700
Tacoma TRD Sport DC 2WD LB	3.5L V-6	6,600
Tacoma TRD Sport DC 4WD SB/LB	3.5L V-6	6,400
Tacoma TRD Off Road DC 2WD SB	3.5L V-6	6,700

Tacoma TRD Off Road Access Cab 4WD	3.5L V-6	6,500
Tacoma TRD Off Road DC 4WD	3.5L V-6	6,400
Tacoma TRD PRO DC 4WD	3.5L V-6	6,400
Tacoma Limited DC 2WD SB	3.5L V-6	6,600
Tacoma Limited DC 4WD SB	3.5L V-6	6,400

TUNDRA

Tundra Bed Lengths: DC Standard 6.5'/Longbed 8'1"/CrewMax Standard 5.5'

Tundra SR DC 2WD	4.6L V-8	6,800 (t)
Tundra SR5 DC 2WD	4.6L V-8	6,800 (t)
Tundra SR DC 2WD	5.7L V-8	10,200
Tundra SR5 DC LB 2WD	5.7L V-8	10,100
Tundra SR DC LB 2WD	5.7L V-8	10,100
Tundra Limited DC 2WD	5.7L V-8	10,100
Tundra SR5 CrewMax 2WD	4.6L V-8	6,700 (t)
Tundra SR5 CrewMax 2WD	5.7L V-8	10,100
Tundra Limited CrewMax 2WD	5.7L V-8	9,400
Tundra Platinum CrewMax 2WD	5.7L V-8	9,400
Tundra 1794 CrewMax 2WD	5.7L V-8	9,400
Tundra SR5 DC 4WD	5.7L V-8	9,900
Tundra SR DC 4WD	5.7L V-8	9,900
Tundra SR DC LB 4WD	5.7L V-8	9,800
Tundra SR5 DC LB 4WD	5.7L V-8	9,800
Tundra SR DC Std Bed 4WD	4.6L V-8	6,500
Tundra SR5 DC Std Bed 4WD	4.6L V-8	6,500
Tundra SR5 DC Std Bed 4WD	5.7L V-8	9,900
Tundra SR DC Std Bed 4WD	5.7L V-8	9,900
Tundra SR DC LB 4WD	5.7L V-8	9,800
Tundra SR5 DC LB 4WD	5.7L V-8	9,800
Tundra Limited DC 4WD	5.7L V-8	9,100
Tundra SR5 CrewMax 4WD	4.6L V-8	6,400 (t)
Tundra SR5 CrewMax 4WD	5.7L V-8	9,800
Tundra TRD Pro CrewMax 4WD	5.7L V-8	9,200
Tundra Limited CrewMax 4WD	5.7L V-8	8,800
Tundra Platinum CrewMax 4WD	5.7L V-8	8,800
Tundra 1794 CrewMax 4WD	5.7L V-8	8,800

Tundra ratings vary depending on trim level and equipment selected. See dealer for details.

VOLKSWAGEN

Atlas	2.0L I-4 TC	2,000 (t)
Atlas FWD/AWD	3.6L V-6	5,000 (t)
Tiguan Limited	2.0L I-4 TC	2,200 (t)

VOLVO

S60 T5, T6, Cross Country	All	3,500 (t)
V60 T5, T6, Cross Country	All	3,968 (t)
V90 T5 FWD	2.0L I-4 TC	2,000 (t)
V90 T6 AWD	2.0L I-4 TC/SC	3,500 (t)
V90 Cross Country AWD	All	3,500 (t)
XC60	All	3,500 (t)
XC90	All	5,200 (t)